

Thermoelectric cooling unit TG 6205303



Product Features

Brand Name:	SoliTherm Peltier
Order Number:	6205303
Housing Material:	Stainless steel AISI 304 (V2A)
IP class EN 60529:	IP 66 NEMA 4X
Optional:	Stainless Steel 316 with Chromated heatsinks, P/N: 62053034
Approvals:	CE, RoHS
Accessories:	Peltier Condensate Kit
Taric Code:	84158300

Technical data TG 6205303

Cooling capacity L35L35:	200 W
Temperature range:	-20°C - +65°C
Air volume flow:	Ambient air circuit: 106 m³/h Cabinet air circuit: 150 m³/h
Mounting:	recessed
Dimension HxWxD:	500 x 330 x 207 (131) mm
Weight:	18 kg
Voltage / Frequency:	120 - 230 V AC ~ 50/60 Hz
Current L35L35:	2.1 A @ 120 V 1.1 A @ 230 V
Starting current:	3.8 A @ 120 V 2 A @ 230 V
Nominal power L35L35:	250 W
Max. power:	460 W
Fuse:	6 A (T) @ 120 V 4 A (T) @ 230 V
Connection:	8-Pole Connector


Please click on the graphics to download.

More CAD drawings can be found under [Product Download](#).

> [Overview product group Cabinet cooling units - Peltier](#)

**Performance
Graph:**

**T = Ambient
temperature
P = Cooling
capacity**



[click image to enlarge](#)